Contents

NUMBER 1 FEBRUARY

1 *A. Parker, A. N. G. Holden and A. J. Tomley.* Host specificity testing and assessment of the pathogenicity of the rust, *Puccinia abrupta* var. *partheniicola*, as a biological control agent of Parthenium weed (*Parthenium hysterophorus*)

17 *R. I. Davis, J. A. G. Irwin and B. C. Imrie.* Glasshouse and field evaluation of cowpea lines for partial resistance to *Phytophthora vignae*

27 *D. E. Frederickson, P. G. Mantle and W. A. J. De Milliano.* Susceptibility to ergot in Zimbabwe of sorghums that remained uninfected in their native climates in Ethiopia and Rwanda

33 *C. A. N. Okoli, J. H. Carder and D. J. Barbara.* Restriction fragment length polymorphisms (RFLPs) and the relationships of some host-adapted isolates of *Verticillium dahliae*

41 *M. R. Khan and M. W. Khan.* Effects of simulated acid rain and root-knot nematode on tomato

50 *E. A. Pedersen, R. A. A. Morrall, H. A. McCartney and B. D. L. Fitt.* Dispersal of conidia of *Ascochyta fabae* f.sp. *lentis* from infected lentil plants by simulated wind and rain

56 *J. S. C. Clark and P. T. N. Spencer-Phillips.* Resistance to *Peronospora viciae* expressed as differential colony growth in two cultivars of *Pisum sativum*

65 *J. Orchard, H. A. Collin, K. Hardwick and S. Isaac.* Changes in morphology and measurement of cytokinin levels during the development of witches' brooms on cocoa

73 *J. M. Warren and T. R. Pettitt.* Estimation of the number of loci involved in the inheritance of resistance to *Phytophthora palmivora* (Butl.) Butl. in the leaves of *Theobroma cacao* L.

80 *M. M. Lopez, F. Siverio, M. R. Albiach, F. Garcia and R. Rodriguez.* Characterization of Spanish isolates of *Pseudomonas corrugata* from tomato and pepper

91 *P. Saldarelli, A. Minafra, G. P. Martelli and B. Walter.* Detection of grapevine leafroll-associated closterovirus III by molecular hybridization

97 *T. A. Coutinho, F. H. J. Rijkenberg and M. A. J. van Asch.* The effect of leaf age on infection of *Coffea* genotypes by *Hemileia vatatrix*

104 *M. L. V. Resende, J. Flood and R. M. Cooper.* Host specialization of *Verticillim dahliae*, with emphasis on isolates from cocoa (*Theobroma cacao*)

112 *D. R. Butler, K. D. R. Wadia and D. R. Jadhav.* Effects of leaf wetness and temperature on late leaf-spot infection of groundnut

121 *K. D. R. Wadia and D. R. Butler.* Relationships between temperature and latent periods of rust and leaf-spot diseases of groundnut

130 *P. A. G. Elmer and R. E. Gaunt.* The biological characteristics of dicarboximide-resistant isolates of *Monilinia fructicola* from New Zealand stone-fruit orchards

138 *M. Le Romancer, C. Kerlan and M. Nedellec.* Biological characterization of various geographical isolates of potato virus Y inducing superficial necrosis on potato tubers

145 *C. M. Asanzi, N. A. Bosque-Perez, I. W. Buddenhagen, D. T. Gordon and L. R. Nault.* Interactions among maize streak virus diseases, leafhopper vector populations and maize cultivars in forest and savanna zones of Nigeria

158 *G. E. Weber, S. Gülec and J. Kranz.* Interactions between *Erysiphe graminis* and *Septoria nodorum* on wheat

164 *J. J. López-Moya, T. Canto, D. López-Abella and J. R. Díaz-Ruíz.* Differentiation of Mediterranean plum pox virus isolates by coat protein analysis

172 *P. S. Marley and R. J. Hillocks.* Effect of root-knot nematodes on cajanol accumulation in the vascular tissues of pigeonpea after stem inoculation with *Fusarium udum*

177 *J. Flood, R. Mepsted and R. M. Cooper.* Population dynamics of *Fusarium* species on oil palm seeds following chemical and heat treatments

183 *J. G. Hansen, B. J. M. Secher, L. N. Jorgensen and B. Welling.* Thresholds for control of *Septoria* spp. in winter wheat based on precipitation and growth stage

190 *C. Vera and R. G. Milne.* Immunosorbent electron microscopy and gold label antibody decoration of MLOs from crude preparations of infected plants and vector insects
200 *A. J. Davis, M. Say, A. J. Snow and B. R. Grant.* Sensitivity of *Fusarium oxysporum* f.sp. *cubense* to phosphonate
206 *A. Sweetmore, S. A. Simons and M. Kenward.* Comparison of disease progress curves for yam anthracnose (*Collectotrichum gloeosporioides*)

New or unusual records

216 *R. Buonaurio and M. Scortichini. Pseudomonas syringae* pv. *syringae* on pepper seedlings in Italy
220 *B. Boag, R. Neilson, L. F. Palmer and H. D. Jones.* A further record of the New Zealand flatworm *Artioposthia triangulata* (Dendy) in England
223 *H. W. Roderick, B. C. Clifford and J. E. Jones.* Occurrence of oat stem rust in west Wales
225 *J. T. Fletcher.* Fusarium stem and fruit rot of sweet peppers in the glasshouse
228 *J. M. Teri and D. K. Mlasani.* Choanephora blight and alternaria leaf spot of Amaranth in Tanzania
230 *J. M. Whipps and N. L. Helyer.* Occurrence of powdery mildew on aubergine in West Sussex

234 Book reviews

NUMBER 2 APRIL

237 *C. S. Kousik, J. P. Snow and G. T. Berggren.* Factors affecting infection cushion development by *Rhizoctonia solani* AG-1 and IA and IB on soybean leaves
245 *R. Reuveni, V. Agapov and M. Reuveni.* Foliar spray of phosphates induces growth increase and systemic resistance to *Puccinia sorghi* in maize
251 *M. Larsson and J. Olofsson.* Prevalence and pathogenicity of spinach root pathogens of the genera *Aphanomyces*, *Phytophthora*, *Fusarium*, *Cylindrocarpon* and *Rhizoctonia* in Sweden
261 *M. Larsson.* Prevalence and pathogenicity of spinach root pathogens of the genus *Pythium* in Sweden
269 *R. D. Johnson and B. G. Lewis.* Variation in host range, systemic infection and epidemiology of *Leptosphaeria maculans*
278 *N. I. Nashaat and C. J. Rawlinson.* The response of oilseed rape (*Brassica napus* ssp. *oleifera*) accessions with different glucosinolate and erucic acid contents to four isolates of *Peronospora parasitica* (downy mildew) and the identification of new sources of resistance
286 *P. J. Burgess, J. P. Blakeman and M. C. M. Perombelon.* Contamination and subsequent multiplication of soft rot erwinias on healthy potato leaves and debris after haulm destruction
300 *P. A. Payne, M. J. C. Asher and C. D. Kershaw.* The incidence of *Pythium* spp. and *Aphanomyces cochlioides* associated with the sugar-beet growing soils of Britain
309 *J. F. Fourie and G. Holz.* Infection of plum and nectarine flowers by *Botrytis cinerea*
316 *R. Cohen and D. Shtienberg.* Seed treatment for the control of *Sphaerotheca fuliginea* in muskmelon seedlings
321 *Y.-M. Chen and R. N. Strange.* Production of a proteinaceous phytotoxin by *Ascochyta rabiei* grown in expressed chickpea sap
328 *E. Kosman and Y. Levy.* Fungal foliar plant pathogen epidemics: modelling and qualitative analysis
338 *A. E. Brown, S. Muthumeenakshi, T. R. Swinburne and R. Li.* Detection of the source of infection of apple trees by *Cylindrocarpon heteronema* using DNA polymorphisms
344 *P. Rott, M. J. Davis and P. Baudin.* Immunological variability in *Xanthomonas albilineans*, causal agent of leaf scald disease of sugarcane
350 *M. Youcef-Benkada, B. S. Bendahmane, A. A. Sy, G. Barrault and L. Albertini.* Effects of inoculation of barley inflorescences with *Drechslera teres* upon the location of seed-borne inoculum and its transmission to seedlings as modified by temperature and soil moisture
356 *C. C. Mundt, P. M. Hayes and C. C. Schön.* Influence of barley variety mixtures on severity of scald and net blotch and on yield
362 *J. J. Mes, J. van Doorn, E. J. A. Roebroeck, E. van Egmond, J. van Aartrijk and P. M. Boonekamp.* Restriction fragment length polymorphisms, races and vegetative compatibility groups within a worldwide collection of *Fusarium oxysporum* f.sp. *gladioli*
371 *S. J. Kay and A. Stewart.* Evaluation of fungal antagonists for control of onion white rot in soil box trials

378 *J. G. Menzies and W. R. Jarvis.* The infestation of tomato seed by *Fusarium oxysporum* f.sp. *radicis-lycopersici*

387 *J. E. Pittis and R. C. Shattock.* Viability, germination and infection potential of oospores of *Phytophthora infestans*

397 *G. M. Murray, P. J. Ellison, A. Watson and B. R. Cullis.* The relationship between wheat yield and stripe rust as affected by length of epidemic and temperature at the grain development stage of crop growth

New or unusual records

406 *K. F. Chang and M. Mirza. Sclerotium rolfsii* on Alstroemeria in Alberta, Canada

410 *P. Gladders, M. A. Carter and W. F. Owen.* Resistance to benomyl in *Botrytis allii* from shallots

412 *L. S. Boiteux, M. F. Lima, J. A. de Menezes Sobrinho and C. A. Lopes.* A garlic (*Allium sativum*) leaf blight caused by *Stemphylium vesicarium* in Brazil

415 *R. K. Khetarpal, J. Kumar, M. Beuve, D. B. Parakh and Ram Nath.* Outbreak of MAV-type barley yellow dwarf virus on wheat in Garhwal Hills in India

417 *A. J. L. Phillips.* Occurrence of scab disease of *Phaeolus vulgaris* caused by *Elsinoë phaseoli* in South Africa

420 *J. P. J. Louw, P. W. Crous and G. Holz. Pyrenophora japonica* occurring on barley in South Africa

424 *D. J. Vakalounakis.* First record of *Erysiphe cruciferarum* on *Lunaria biennis* in Greece

426 Book reviews

NUMBER 3 JUNE

Garret Memorial Lecture

429 *R. J. Cook.* Problems and progress in the biological control of wheat take-all

Letter to the Editor

438 *R. Black and A. Sweetmore.* Appropriate bacterial identification systems for small plant-pathology laboratories overseas incorporating the Biolog method

Review

442 *J. d'A. Hughes and L. A. A. Ollennu.* Mild strain protection of cocoa in Ghana against cocoa swollen shoot virus—a review

458 *R. Huang, J. Kranz and H. G. Welz.* Selection of pathotypes of *Erysiphe graminis* f.sp. *hordei* in pure and mixed stands of spring barley

471 *D. Andrivon, C. Béasse and C. Laurent.* Characterization of isolates of *Phytophthora infestans* collected in northwestern France from 1988 to 1992

479 *D. I. Guest, R. D. Anderson, H. J. Foard, D. Phillips, S. Worboys and R. M. Middleton.* Long-term control of *Phytophthora* diseases of cocoa using trunk-injected phosphonate

493 *S. O. Freigoun, H. I. El Faki, B. Gelie, M. Schirmer and M. Lemattre.* Phage sensitivity in relation to pathogenicity and virulence of the cotton bacterial blight pathogen of Sudan

500 *C. F. Hodges, D. A. Campbell and N. Christians.* Potential biocontrol of *Sclerotinia homoeocarpa* and *Bipolaris sorokiniana* on the phylloplane of *Poa pratensis* with isolates of *Pseudomonas* spp.

507 *M. Sariah, M. Z. Hussin, R. N. G. Miller and M. Holderness.* Pathogenicity of *Ganoderma boninense* tested by inoculation of oil palm seedlings

511 *M. H. Ivory.* Records of foliage pathogens of *Pinus* species in tropical countries

519 *J. Stonehouse.* Assessment of Andean bean diseases using visual keys

528 *S. Yessad-Carreau, C. Manceau and J. Luisetti.* Occurrence of specific reactions induced by *Pseudomonas syringae* pv. *syringae* on bean pods, lilac and pear plants

537 *H. Lot, B. Delecolle, G. Boccardo, C. Marzach and R. G. Milne.* Partial characterization of reovirus-like particles associated with garlic dwarf disease

547 *R. G. Shivas.* Controlled environment studies on the infection of *Emex australis* by *Phomopsis emicis*

554 *C. Madrigal, S. Pascual and P. Melgarejo.* Biological control of peach twig blight (*Monilinia laxa*) with *Epicoccum nigrum*

562 *N. J. Hayden, R. B. Maude and F. J. Proctor.* Studies on the biology of black mould (*Aspergillus niger*) on temperate and tropical onions. 1. A comparison of sources of the disease in temperate and tropical field crops

570 *N. J. Hayden, R. B. Maude, H. S. El Hassan and A. A. Al Magid.* Studies on the biology of black mould (*Aspergillus niger*) on temperate and tropical onions. 2. The effect of treatments on the control of seedborne *A. niger*

579 *M. Stevens, H. G. Smith and P. B. Hallsworth.* The host range of beet yellowing viruses among common arable weed species

589 *M. I. Frommel and G. Pazos.* Detection of *Xanthomonas campestris* pv. *undulosa* infested wheat seeds by combined liquid medium enrichment and ELISA

New or unusual records

597 *J. J. Serfontein.* Occurrence of bacterial brown spot of dry beans in the Transvaal province of South Africa

600 Book reviews

NUMBER 4 AUGUST

605 *R. Stanley, M. Brown, N. Poole, M. Rogerson, D. C. Sigee, C. Knight, C. C. Ivin, H. A. S. Epton and C. Leifert.* Biocontrol of post-harvest fungal diseases on Dutch white cabbage by *Pseudomonas* and *Serratia* antagonists in storage trials

612 *A. J. Masterman, S. J. Holmes and G. N. Foster.* Transmission of barley yellow dwarf virus by cereal aphids collected from different habitats on cereal farms

621 *A. J. Masterman, S. J. Holmes and G. N. Foster.* The role of *Poa annua* in the epidemiology of barley yellow dwarf virus in autumn-sown cereals

627 *N. J. Hayden and R. B. Maude.* The effect of heat on the growth and recovery of *Aspergillus* spp. from the mycoflora of onion seeds

631 *G. Goleniewski and A. C. Newton.* Modelling the spread of fungal diseases using a nearest neighbour approach: effect of geometrical arrangement

644 *R. F. Eastwood, J. F. Kollmorgen, M. Hannah and W. M. Williams.* Reaction of somaclonal variants of wheat to the take-all fungus (*Gaeumannomyces graminis* var. *tritici*)

651 *C. Lannou, C. de Vallavieille-Pope and H. Goyeau.* Host mixture efficacy in disease control: effects of lesion growth analysed through computer-simulated epidemics

663 *V. Grimault, G. Anais and P. Prior.* Distribution of *Pseudomonas solanacearum* in the stem tissues of tomato plants with different levels of resistance to bacterial wilt

669 *G. Firrao, E. Gobbi and R. Locci.* Rapid diagnosis of apple proliferation mycoplasma-like organism using a polymerase chain reaction procedure

675 *G. A. Forbes and J. T. Korva.* The effect of using a Horsfall–Barratt scale on precision and accuracy of visual estimation of potato late blight severity in the field

683 *M. R. Khan and M. W. Khan.* Smoke pollution and the effects of root-knot nematodes on the growth of eggplants

694 *P. Nicholson, H. N. Rezanoor and T. W. Hollins.* The identification of a pathotype-specific DNA probe for the R-type of *Pseudocercosporella herpotrichoides*

701 *A. Johanson, R. N. Crowhurst, E. H. A. Rikkerink, R. A. Fullerton and M. D. Templeton.* The use of species-specific DNA probes for the identification of *Mycosphaerella fijiensis* and *M. musicola*, the causal agents of Sigatoka disease of banana

708 *S. N. Salm, M. E. C. Rey and M. M. Wolfson.* A South African isolate of ryegrass mosaic virus

713 *N. A. Moss, I. R. Crute and J. A. Lucas.* Laboratory production of oospores of *Peronospora parasitica* (crucifer downy mildew) and the recovery and characterization of sexual progeny from crosses between isolates with different host specificity

726 *C. F. N. Pijls, M. W. Shaw and A. Parker.* A rapid test to evaluate *in vitro* sensitivity of *Septoria tritici* to flutriafol, using a microtitre plate reader

733 *J. G. Harrison, R. Lowe and N. A. Williams.* Effects of temperature and light on non-race-specific resistance of potato leaflets to late blight

740 *L. M. Hömmö.* Screening winter rye cultivars for snow mould (*Microdochium nivale*) resistance

New or unusual records

751 *L. S. Boiteux, M. I. Lima and E. W. Kitajima.* Giant calyx: a disease of eggplant (*Solanum melongena*) associated with a mycoplasma-like organism in Brazil

755 *E. K. Ligoxigakis and D. J. Vakalounakis.* The incidence and distribution of races of *Verticillium dahliae* in Crete

759 *L. B. Jensen.* First record of ascomata of *Leptosphaeria maculans* on winter-grown oilseed rape in Denmark

762 *T. K. Tan and S. A. Tow.* First record of *Colletotrichum dematium* as a pathogen of *Asystasia nemorum* and *A. gangetica* in Singapore

767 *D. G. A. Walkey, N. J. Spence, C. M. Clay and A. Miller.* A potyvirus isolated from *Senna occidentalis*

774 Book reviews

775 Book notices

NUMBER 5 OCTOBER

British Society for Plant Pathology Presidential Address 1993

777 *D. J. Royle.* Understanding and predicting epidemics: a commentary based on selected pathosystems

Letter to the Editor

790 *M. W. Shaw.* Seasonally induced chaotic dynamics and their implications in models of plant disease

802 *K. D. R. Wadia and D. R. Butler.* Infection efficiency of *Phaeoisariopsis personata* and the influence of different wetness patterns on germ tube growth of the pathogen

813 *D. J. Vakalounakis, E. Klironomou and A. Papadakis.* Species spectrum, host range and distribution of powdery mildews on Cucurbitaceae in Crete

819 *D. L. Davies and M. F. Clark.* Maintenance of mycoplasma-like organisms occurring in *Pyrus* species by micropropagation and their elimination by tetracycline therapy

824 *K. R. Everett and W. R. Henshall.* Epidemiology and population ecology of kiwifruit blossom blight

831 *D. R. Jones.* Evaluation of fungicides for control of eyespot disease and yield loss relationships in winter wheat

847 *I. Jamaux and D. Spire.* Development of a polyclonal antibody-based immunoassay for the early detection of *Sclerotinia sclerotiorum* in rapeseed petals

863 *S. J. Kay and A. Stewart.* The effect of fungicides on fungal antagonists of onion white rot and selection of dicarboximide-resistant biotypes

872 *E. Ward, M. J. Adams, E. S. Mutasa, C. R. Collier and M. J. C. Asher.* Characterization of *Polymyxa* species by restriction analysis of PCR-amplified ribosomal DNA

878 *H. A. Yang, K. Sivasithamparam, J. Alemohammad, J. E. Barton and P. A. O'Brien.* Association of *Rhizoctonia* strains with bare patch disease of wheat in Western Australia

885 *J. C. Devergne, M. A. Fort, P. Bonnet, P. Ricci, C. Vergnet, T. Delaunay and J. Grosclaude.* Immunodetection of elicitins from *Phytophthora* spp. using monoclonal antibodies

897 *D. J. Morrison and D. B. Redfern.* Long-term development of *Heterobasidion annosum* in basidiospore-infected Sitka spruce stumps

907 *D. J. Morrison, G. A. Macaskill, S. C. Gregory and D. B. Redfern.* Number of *Heterobasidion annosum* vegetative compatibility groups in roots of basidiospore-infected stumps

913 *G. Cook, J. M. Kotzé and L. H. Nel.* Double-stranded RNA comprising the putative avocado virus 1 has a high degree of sequence homology to the avocado genome

917 *J. A. DiLeone and C. C. Mundt.* Effect of wheat cultivar mixtures on populations of *Puccinia striiformis* races

New or unusual records

931 *D. G. A. Walkey, N. J. Spence, C. M. Clay and A. Miller.* A potyvirus isolated from solanaceous hosts

938 *C. K. Jayasinghe and W. P. K. Silva.* Foot canker and sudden wilt of *Hevea brasiliensis* associated with *Nattrassia mangiferae*

941 *M. Scortichini.* Leaf spot and blight of *Dieffenbachia amoena* caused by *Pseudomonas marginalis* pv. *marginalis*

944 *R. S. Romeiro, A. R. Simoes, J. J. Muchovej, J. R. Oliveira and R. M. Souza.* Bacterial sudden yellow death and soft rot of *Coriandrum sativum*

947 *J. H. Carder and D. J. Barbara.* Molecular variation within some Japanese isolates of *Verticillium dahliae*

951 Book review

NUMBER 6 DECEMBER

953 *M. Fermaud, R. E. Gaunt and P. A. G. Elmer.* The influence of *Thrips obscuratus* on infection and contamination of kiwifruit by *Botrytis cinerea*

961 *S. F. Carnegie, A. M. Cameron, G. A. Hide and S. M. Hall.* The occurrence of thiabendazole-resistant isolates of *Polyscytalum pustulans* and *Helminthosporium solani* on seed potato tubers in relation to fungicide treatment and storage

972 *R. Angra-Sharma and D. K. Sharma.* Biochemical and histological studies on susceptible and resistant maize leaves infected by *Helminthosporium maydis*

979 *K. K. Nielsen, P. Jørgensen and J. D. Mikkelsen.* Antifungal activity of sugar beet chitinase against *Cercospora beticola*: an autoradiographic study on cell wall degradation

987 *F. D. Beed, R. N. Strange, C. Onfroy and B. Tivoli.* Virulence for faba bean and production of ascochitine by *Ascochyta fabae*

998 *N. A. Harrison, P. A. Richardson, J. B. Kramer and J. H. Tsai.* Detection of the mycoplasma-like organism associated with lethal yellowing disease of palms in Florida by polymerase chain reaction

1009 *F. C. Greenhalgh, R. F. de Boer, P. R. Merriman, G. Hepworth and P. J. Keane.* Control of *Phytophthora* root rot of irrigated subterranean clover with potassium phosphonate in Victoria, Australia

1020 *T. Andebrhan and D. B. Furtek.* Random amplified polymorphic DNA (RAPD) analysis of *Crinipellis perniciosa* isolates from different hosts

New or unusual records

1028 *S. Serfontein and J. L. Staphorst.* Crown gall of hop caused by *Agrobacterium tumefaciens* biovar 1 in South Africa

1031 *H. Smith, G. H. J. Kemp and M. J. Wingfield.* Canker and die-back diseases of *Eucalyptus* in South Africa caused by *Botryosphaeria dothidea*

1035 *Marco Scortichini.* Occurrence of *Pseudomonas syringae* pv. *actinidiae* on kiwifruit in Italy

1039 *P. S. Dyer, M. Papaikonomou, J. A. Lucas and J. F. Peberdy.* Isolation of R-type progeny of *Tapesia yallundae* from apothecia on wheat stubble in England

1045 *N. V. Hardwick, J. M. L. Davies and D. M. Wright.* The incidence of three virus diseases of winter oilseed rape in England and Wales in the 1991/2 and 1992/3 growing seasons

1050 *M. M. Ferreira-Pinto, M. L. Cruz and H. Oliveira.* The occurrence in Portugal of the bacterial disease of maize crops caused by *Erwinia chrysanthemi*

1055 *M. Mazarei and P. Mostofipour.* First report of bacterial canker of kiwifruit in Iran

1057 *M. Alam, H. K. Chourasia, A. Sattar and K. K. Janardhanan.* Collar rot and wilt: a new disease of Java citronella (*Cymbopogon winterianus*) caused by *Fusarium moniliforme* Sheldon

1062 *K. R. Green and S. A. Simons.* 'Dead skin' on yams (*Dioscorea alata*) caused by *Colletotrichum gloeosporioides*

1066 *B. C. Sutton, R. T. A. Cook and C. E. Sansford. Clasterosporium flexum* (T. Matsush.) comb. nov. on dying cuttings of *Chamaecyparis lawsoniana* in UK

1072 *G. H. Boerema, R. T. A. Cook, J. S. W. Dickens, A. Pisi, M. G. Bellardi and J. E. M. Mordue.* Codiaeum rust

1080 Author index